



## Comparison table of threads

Dim.	ISO 7/1 UNI 6125		ISO 228 UNI 338 BSP		NPT ANSI B1 20.1		Mx1.5 ISO 261		PG DIN 40430	
	Ø	D (mm)	Ø	D (mm)	Ø	D (mm)	Ø	D (mm)	Ø	D (mm)
<b>0</b>	-	-	3/8"	15	3/8"	15	M16	15	PG 9 PG 11	12 12
<b>1</b>	1/2"	18	1/2"	15	1/2"	18	M20	15	PG 13,5	12
<b>2</b>	3/4"	18	3/4"	15	3/4"	18	M25	15	PG 16	12
<b>3</b>	1"	22	1"	15	1"	22	M32	15	PG 21	12
<b>4</b>	1.1/4"	22	1.1/4"	15	1.1/4"	22	M40	15	PG 29	14
<b>5</b>	1.1/2"	22	1.1/2"	15	1.1/2"	22	M50	15	PG 36	14
<b>6</b>	2"	22	2"	15	2"	22	M63	15	PG 42 PG 48	14 14
<b>7</b>	2.1/2"	27	2.1/2"	15	2.1/2"	27	M75	15	-	-
<b>8</b>	3"	27	3"	15	3"	27	M85	15	-	-

- D = length of thread (see sheets of cable glands)